



**ఆంధ్రప్రదేశ్ రాజ పత్రము**  
**THE ANDHRA PRADESH GAZETTE**  
**PUBLISHED BY AUTHORITY**

**PART I EXTRAORDINARY**

No.32

AMARAVATI, TUESDAY, JANUARY 10, 2023

G.3353

**NOTIFICATIONS BY GOVERNMENT**

--X--

**GOVERNMENT OF ANDHRA PRADESH**  
**ABSTRACT**

Water Resources Department – “Gorakallu Balancing Reservoir near Gorakallu Village, Kurnool District for the year 2022-23” – 1st Annual Maintenance Estimate - Administrative Approval – Accorded – Orders – Issued.

-----  
**WATER RESOURCES (PROJECTS.III) DEPARTMENT**

G.O.Rt.No.2147

Dated: 29.12.2022.  
Read the following:

- 1) From the Chief Engineer (P), Kurnool Letter No. CE/KNL/ICD32-TW0SRBC/ 2/2021/(1539121)/DEE2/AEE1/GBR, Dt:23/10/2021.
- 2) From the Chief Engineer(P), Kurnool Lr.No.CE/KNL/ICD32-TW0GBR (MIS)/4/2021/(1541783)/DEE2/AEE1/GBR, Dt:02.03.2022
- 3) From the Chief Engineer (P), Kurnool Letter No.CE/KNL/ICD32-TW0SRBC (GBR)/ 4/2022/ (1741564) /DEE2/AEE1, Dt: 01/06/2022

&&&&

**ORDER:**

In the references 1<sup>st</sup> to 3<sup>rd</sup> read above, the Chief Engineer (P), Kurnool has requested the Government to accord administrative approval for the 1<sup>st</sup> Annual Maintenance Estimate for “Gorakallu Balancing Reservoir near Gorakallu Village, Kurnool District for the year 2022-23” for an amount of Rs.96.00 Lakhs.

2. Government after careful examination of the proposal of Chief Engineer (P), Kurnool, hereby accorded administrative sanction for the 1st Annual Maintenance Estimate for "Gorakallu Balancing Reservoir near Gorakallu Village, Kurnool District for the year 2022-23" for an amount of Rs.70,00,000/- (Rupees Seventy Lakhs only) subject to the following conditions

1)	The CE shall ensure the following before according technical sanction:
	i) The correctness of quantities, leads rates and data proposed in the estimate.
	ii) The departmental work charged establishment staff is not available to carry maintenance work.
	iii) Supporting detailed estimate/quotation may be obtained for LS provisions proposed towards repairs to dewatering motors/repairs to DG set/electrical items etc.
2)	The CE shall follow the conditions stipulated in the Agreement with regard to release and discharge obligation on the part of the Agency to avoid any legal issues.

3. the above expenditure is debitable to the Head of Account: 4700-COL on Major Irrigation-01-Major Irrigation-(Commercial) 121 SRBC - GH 11 State Development Schemes- SH (26) Dam and Appurtenant Works – 270 Minor works- 272 Maintenance".

4. The Chief Engineer (Projects), Kurnool shall take further necessary action accordingly.

5. This order issues with the concurrence of Finance (FMU.WR.II) Department vide their U.O.Note.No:FIN01-FMU0MRAS (WR2)/105/2022-FMU-WR-II (Computer No. 1820852), dated: 17.12.2022.

6. Copy of this order is available in the [apegazette.cgg.gov.in](http://apegazette.cgg.gov.in) website.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHASHI BHUSHAN KUMAR  
PRINCIPAL SECRETARY TO GOVERNMENT

To  
The Chief Engineer (P), Kurnool.  
Copy to:  
The Director of Works & Accounts, Vijayawada.  
Finance (FMU.WR.II) Department.  
The PS to Hon'ble Minister for WRD  
The PS to Principal Secretary (WRD);  
File No. ICD01/1499/2021-PROJ-III (1561741).  
SF/SC

//FORWARDED:: BY ORDER//

SECTION OFFICER